



Ballistic Performance of Titanium Alloys: Ti-6Al-4V Versus Russian Titanium

by Tyrone L. Jones

ARL-CR-0533

February 2004

prepared by

ORISE
P.O. Box 53
Aberdeen Proving Ground, MD 21010-0053

under contract

DOE Proposal No. 1120-1120-99

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

DESTRUCTION NOTICE—Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5066

ARL-CR-0533**February 2004**

Ballistic Performance of Titanium Alloys: Ti-6Al-4V Versus Russian Titanium

Tyrone L. Jones

Oak Ridge Institute for Science and Education

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) February 2004		2. REPORT TYPE Final		3. DATES COVERED (From - To) September 2003 to October 2003	
4. TITLE AND SUBTITLE Ballistic Performance of Titanium Alloys: Ti-6Al-4V Versus Russian Titanium				5a. CONTRACT NUMBER 1120-1120-99	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Tyrone L. Jones (ORISE)				5d. PROJECT NUMBER 622601DC05	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) ORISE P.O. Box 53 Aberdeen Proving Ground, MD 21010-0053				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-CR-0533	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory Weapons and Materials Research Directorate Aberdeen Proving Ground, MD 21005-5067				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES The contracting officer's representative (COR) is Mike Zoltoski, U.S. Army Research Laboratory, ATTN: AMSRD-ARL-WM-TA, Aberdeen Proving Ground, MD 21005-5067 (telephone 410-278-6222)..					
14. ABSTRACT A Ti-6Al-4V baseline plate and a Russian titanium alloy plates were ballistically tested against .30-cal armor-piercing (AP) M2 rounds. The V ₅₀ ballistic limit of each plate was determined and compared to the MIL-DTL-46077F V ₅₀ ballistic acceptance chart for Ti-6Al-4V alloy. Based on these results, no clear ballistic performance advantage would be achieved by using the Russian titanium alloy against 0.30-cal AP M2 threats.					
15. SUBJECT TERMS ballistic performance; Russian titanium; Ti-6Al-4V					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UL	18. NUMBER OF PAGES 25	19a. NAME OF RESPONSIBLE PERSON Tyrone L. Jones
a. REPORT UNCLASSIFIED	b. ABSTRACT UNCLASSIFIED	c. THIS PAGE UNCLASSIFIED			19b. TELEPHONE NUMBER (Include area code) 410-278-6060

Contents

List of Figures	iv
List of Tables	iv
1. Introduction	1
2. Background	1
3. Results and Discussion	2
3.1 Ballistic Properties	2
4. Summary and Conclusions	4
5. References	7
Appendix A. Ballistic Test Data	9
List of Definitions and Abbreviations	11
Distribution List	13

List of Figures

Figure 1. 0.30-cal AP M2 projectile dimensions	3
Figure 2. 0.30-cal AP M2 projectile dimensions	4
Figure 3. Photographs of 12.83-mm (0.51-in.) Ti-6Al-4V plate after ballistic testing.....	5
Figure 4. Photographs of 13.72-mm (0.54-in.) Russian titanium alloy plate after ballistic testing.....	6

List of Tables

Table 1. Chemical compositions of Ti-6Al-4V and Russian titanium alloy.....	2
Table 2. Tensile mechanical properties and densities of Ti-6Al-4V and Russian titanium alloy.....	2
Table 3. 0.30-cal AP M2 projectile specifications.....	3
Table 4. Ballistic results of Ti-6Al-4V and Russian titanium alloy versus 0.30-cal AP M2.....	3
Table A-1. Ti-6Al-4V baseline	9
Table A-2. Russian titanium alloy	10

1. Introduction

Titanium alloys are of interest for ballistic armor systems because of their battlefield benefits. Titanium alloys are highly corrosion resistant, about 60% density of steel, readily machinable, and are joinable (1). Over many years, various titanium alloys have been tested for their ballistic performance. The U.S. Army has chosen the titanium alloy Ti-6Al-4V for structural and appliqué armor, and it is the Army's baseline for evaluating the performance of similar armor systems (2).

This study evaluated the ballistic performance of a Russian titanium alloy compared to the baseline Ti-6Al-4V alloy. If the performance difference is greatly in favor of the Russian alloys, then possible modifications in the baseline armor may have to be considered.

2. Background

Titanium can exist in a hexagonal closely packed crystal structure (known as the alpha phase) and a body-centered cubic structure (known as the beta phase). In unalloyed titanium, the alpha phase is stable at all temperatures as high as 883° C, where it transforms to the beta phase. This transformation temperature is known as the beta transus temperature. The beta phase is stable from 883° C to the melting point. As alloying elements are added to pure titanium, the phase transformation temperature and the amount of each phase change. Alloy additions to titanium, except tin and zirconium, tend to stabilize either the alpha or beta phase. Ti-6Al-4V, the most common titanium alloy, contains mixtures of alpha and beta phases and is therefore classified as an alpha-beta alloy. The aluminum is an alpha stabilizer, which stabilizes the alpha phase to higher temperatures; vanadium is a beta stabilizer, which stabilizes the beta phase to lower temperatures. The addition of these alloying elements raises the beta transus temperature to approximately 996° C. Alpha-beta alloys, such as Ti-6Al-4V, are of primary interest for armor applications because they are generally weldable, can be heat treated, and offer moderate to high strength. Table 1 shows the titanium alloy specifications for both the Ti-6Al-4V and Russian titanium alloys chemistry composition, while table 2 shows the minimum mechanical properties of the Ti-6Al-4V (1, 3, 4).

Table 1. Chemical compositions of Ti-6Al-4V and Russian titanium alloy.

Wt. %	Titanium Alloys	
	Ti-6Al-4V	Russian Titanium
Al	5.5 to 6.5	2.99
Sn	...	0.07
Zr	...	0.341
Mo	...	0.391
V	3.5 to 4.5	5.18
Cr	...	3.63
Ni	...	0.02
B	...	58 ppm
N	0.02	0.01
C	0.04 max	0.013
H	0.0125	...
Fe	0.25	0.44
O	0.14	0.124
Y	...	0

Table 2. Tensile mechanical properties and densities of Ti-6Al-4V and Russian titanium alloy.

Titanium Alloy	Tensile Strength (min) (MPa)	0.2% Yield Strength (min) (MPa)	Elongation (%)	Reduction in Area (%)	Density (g/cc)
Ti-6Al-4V	896	827	14	30	4.43
Russian titanium	*	*	*	*	4.62

*not measured; insufficient quantity of specimen available

3. Results and Discussion

3.1 Ballistic Properties

Ballistic testing was performed on the baseline and Russian titanium alloy with 0.30-caliber armor-piercing (AP) M2 projectiles. The 0.30-caliber projectile is shown in figure 1. The specification data for this projectile are shown in table 3 (5). The target plate was positioned normal (0 degree obliquity) to the projectile's path of flight at impact for each test.

Each plate was shot with .30-caliber AP M2 projectiles, and orthogonal flash radiographs (6) were used to measure the striking velocities, pitch, and yaw of the projectiles. Residual x-rays were used in place of the 0.51-mm (.020-inch) 2024-T3 aluminum witness plate to determine when a complete perforation (CP) occurred. If penetrator or target material broke a paper break screen behind the target and an image appeared in the radiographs, then the shot was classified as

a CP. In addition, residual x-rays provide the velocity, as well as an estimate of size and mass of the material ejected from the rear surface of the target plate. The V_{50} ballistic limit and sample standard deviation were calculated in accordance with the U.S. Department of Defense MIL-STD-662E (7).

The Ti-6Al-4V plate was manufactured by TIMET, a titanium metals corporation in Henderson, Nevada, and was marked test J3858. The Russian titanium alloy plate was marked VST3553+0.6 Zr and was 0.09 mm thicker than the Ti-6Al-4V plate. The Brinell hardness number (BHN) was measured on site. Ballistic test results are summarized in table 4. Detailed ballistic data are provided in appendix A.




Figure 1. 0.30-cal AP M2 projectile dimensions.

Table 3. 0.30-cal AP M2 projectile specifications.

Projectile Type	Projectile			Jacket		Core/Penetrator			
	Length (mm)	Dia. (mm)	Weight (g)	Material	Weight (g)	Material	Length (mm)	Dia. (mm)	Weight (g)
AP M2	34.75	7.85	10.76	GM*	4.21	Steel PB**	27.43	6.17	5.25
							--	--	1.30

*GM = gilded metal

**PB = lead

Table 4. Ballistic results of Ti-6Al-4V and Russian titanium alloy versus 0.30-cal AP M2.

Titanium Alloy	Thickness (mm)	Hardness (BHN)	Test V_{50} (m/s)	Standard Deviation (m/s)	Required V_{50} from MIL-DTL-46077F (6) (m/s)
Ti-6Al-4V*	12.83	332	633	7	636
Russian Titanium	13.72	387	622	7	666

*baseline

The thickness of the plates was normalized with the MIL-DTL-46077F V_{50} ballistic acceptance chart for Ti-6Al-4V alloy (8). Table 4 and figure 2 list and show the minimum required ballistic limit based on the thickness of each plate. Although both plates were below the minimum required V_{50} , the Russian titanium alloy was 7% lower, while the Ti-6Al-4V was 0.5% lower, based on normalization by the thickness.

Photographs of the front and back surfaces of the Ti-6Al-4V and Russian titanium alloy are shown in figures 3 and 4, respectively. The baseline Ti-6Al-4V alloy had a 2% higher V_{50} with a standard deviation equivalent to the Russian titanium alloy for these tests; therefore, Ti-6Al-4V outperformed the Russian titanium alloy.




Figure 2. 0.30-cal AP M2 projectile dimensions.

4. Summary and Conclusions

Ballistic testing was performed on a Russian titanium alloy and the results were compared to the performance for baseline Ti-6Al-4V. The results of the ballistic results may be summarized as follows:


- The Russian titanium alloy was slightly harder, based on the measured BHN.
- The V_{50} ballistic limit of the Russian titanium alloy was significantly lower (7% lower) than the expected performance of Ti-6Al-4V alloy when the results were normalized for the different thickness.

- The Russian titanium was 4% heavier than Ti-6Al-4V based on measured density.
- The Ti-6Al-4V outperformed the Russian titanium alloy based on ballistic test results.
- Both materials appeared to have multiple hit capabilities.

Based on these results for monolithic armor, no clear ballistic performance advantage would be achieved if the Russian titanium alloy were used against 0.30-cal AP M2 threats. Available data were insufficient to determine how the Russian alloy would have performed as part of a system or at obliquity.




a. front



b. rear

Figure 3. Photographs of 12.83-mm (0.51-in.) Ti-6Al-4V plate after ballistic testing.



a. front



b. rear

Figure 4. Photographs of 13.72-mm (0.54-in.) Russian titanium alloy plate after ballistic testing.

5. References

1. Donachie Jr., M.J. *Titanium: A Technical Guide*. ASM International: Metals Park, OH, 1989.
2. Burkins, M.S.; Wells, M.; Fanning, J.; Roopchand, B. *The Mechanical and Ballistic Properties of an Electron Beam Single Melt of Ti-6Al-4V Plate*; ARL-MR-515; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, May 2001.
3. Burkins, M.S.; Hansen, J.S.; Paige, J.I.; Turner, P.C. *The Effect of Thermo-mechanical Processing on the Ballistic Limit Velocity of Extra Low Interstitial Titanium Alloy Ti-6Al-4V*; ARL-MR-486; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, July 2000.
4. Crist, E. *Chemistry Tests for CST 3553+0.6Zr*. E-mail correspondence, December 2, 2003.
5. Amos, C.W. *Lightweight Armor Design Handbook – Monolithic Armor (U)*; MTL TR 90-40; U.S. Army Materials Technology Laboratory: Watertown, MA, August 1990 (CONFIDENTIAL).
6. Grabarek, C.; Herr, E.L. *X-Ray Multi-Flash System for Measurement of Projectile Performance at the Target*; BRL-TN-1634; U.S. Army Ballistic Research Laboratory: Aberdeen Proving Ground, MD, September 1966.
7. U.S. Department of Defense. *Military Standard: V50 Ballistic Test for Armor*; MIL-STD-662E; Washington, DC, 1987.
8. U.S. Department of Defense. *Military Standard: Detail Specification: Armor Plate, Titanium Alloy, Weldable*; MIL- DTL-46077F; Washington, DC, 1998.

INTENTIONALLY LEFT BLANK.

Appendix A. Ballistic Test Data

Table A-1. Ti-6Al-4V baseline.

Target:		Titanium (Ti-6-4)				Date:		11-Sep-03	
Plate #:		J 3858				Location:		EF106	
Thickness:		12.83mm (.505")							
Hardness:		332 BHN							
Obliquity:		0 degrees							
Projectile:		.30 cal AP M2							
V ₅₀ :		633		m/s		# shots:		9	
Std Dev:		7		m/s		Spread:		14 m/s	
Striking	Pitch	Yaw	Result	Used	LOS	Bulg	Residual	Comments	Shot
Velocity				for V ₅₀	Pen	e	Velocity		#
(m/s)	(deg)	(deg)	(PP/CP)		(mm)	(mm)	(m/s)		
582	0.25	-3.00	PP	No	12	2	--	Slight crack	247
655	-1.25	0.50	CP	No	--	--	--	Spall hinged open 11mm	248
613	1.50	-0.75	PP	No	PIP	3	--	Cracked	249
615	-1.50	0.50	PP	No	14	3	--	Star-shaped crack	250
642	-0.75	-1.00	PP	No	PIP	--	--	Film disposed	251
629	0.00	-1.50	CP	Yes	PIP	--	--	SV=120m/s; 5.08mm thick	252
638	-1.25	-1.25	PP	Yes	PIP	4	--	Cracked	253
640	-1.00	-0.50	CP	Yes	PIP	--	--	SV=72m/s; 7x5x2mm thick	254
626	0.50	-0.75	PP	Yes	PIP	4	--	Star-shaped crack	255

Table A-2. Russian titanium alloy.

Target: Russian Titanium Alloy		Date: 11-Sep-03							
Plate #: 4145 (VST 3553+.6Zr)		Location: EF106							
Thickness: 13.72mm (0.54")									
Hardness: 387 BHN									
Obliquity: 0 degrees									
Projectile: .30 cal AP M2									
V₅₀: 622 m/s		# shots: 4							
Std Dev: 7		Spread: 16 m/s							
Striking Velocity (m/s)	Pitch (deg)	Yaw (deg)	Result (PP/CP)	Used for V ₅₀	LOS Pen (mm)	Bulge (mm)	Residual Velocity (m/s)	Comments	Shot #
658	0	-0.2	PP	No	--	0.6	73	Spall	267
633	-0.25	0.00	CP	Yes	PIP	4	--	Star-shaped crack	268
611	-0.50	-0.75	PP	No	15	2	--	Cracked	269
619	0.25	-0.50	PP	Yes	14	0.2	--	Cracked	270
620	0.00	-1.00	CP	Yes	PIP	3	--	3/5 diam. plug off plate	271
617	0.00	-0.50	PP	Yes	PIP	2	--	Cracked	272

List of Definitions and Abbreviations

Bulge	Plastic movement of back of plate without cracking
CP	Complete penetration; penetrator/target material exits rear surface of target.
LOS Pen	Line-of-sight penetration depth.
PIP	Penetrator in plate; penetrator lodged in impact crater.
Pitch	Attitude of projectile in the vertical direction.
PP	Partial penetration; the penetrator is defeated by the target.
Plug	Target material ejected off rear of the plate.
Residual velocity	Velocity out of back of plate.
Result	Result of shot; CP or PP.
Spall	Solid phase shear deformation.
SV	Spall velocity.
Striking velocity	Velocity of the projectile just before it impacts the target.
Yaw	Attitude of projectile in the horizontal direction.

INTENTIONALLY LEFT BLANK.

NO. OF
COPIES ORGANIZATION

* ADMINISTRATOR
DEFENSE TECHNICAL INFO CTR
ATTN DTIC OCA
8725 JOHN J KINGMAN RD STE 0944
FT BELVOIR VA 22060-6218
*pdf file only

1 DIRECTOR
US ARMY RSCH LABORATORY
ATTN AMSRD ARL CI IS R REC MGMT
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RSCH LABORATORY
ATTN AMSRD ARL CI OK TECH LIB
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RSCH LABORATORY
ATTN AMSRD ARL D D SMITH
2800 POWDER MILL RD
ADELPHI MD 20783-1197

7 CDR US ARMY TACOM
ATTN AMSTA TR S T FURMANIAK
S GOODMAN D HANSEN
L PROKURAT FRANKS
D TEMPLETON D THOMAS
AMSTA TR STI J CARIE
WARREN MI 48397-5000

1 PROJECT MANAGER
ABRAMS TANK SYSTEM
ATTN SFAE GCSS W ABS J ROWE
WARREN MI 48397-5000

3 CDR US ARMY RSCH OFFICE
ATTN J BAILEY K IYER
K LOGAN
PO BOX 12211
RSCH TRIANGLE PARK NC 27709-2211

1 CDR NGIC
ATTN J CRIDER
W GSTATTENBAUER
220 SEVENTH AVENUE
CHARLOTTESVILLE VA 22901-5391

10 CRUSADER OPM
ATTN SFAE GCSS CR E
B ROOPCHAND (10 CYS)
BLDG 171A
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

1 CIA
ATTN OSWR DSD W WALTMAN
RM 5P0110 NHB
WASHINGTON DC 20505

1 DIRECTOR
DARPA
3701 NORTH FAIRFAX DR
ARLINGTON VA 22203-1714

1 PM BFVS
ATTN SFAE GCSS W BV S M KING
WARREN MI 48397-5000

1 CDR CARDEROCK DIV NSWC
ATTN CODE 28 R PETERSON
9500 MACARTHUR BLVD
W BETHESDA MD 20817-5700

1 DEPT OF NAVY OFC DIR REPORTING
PROG MGR
ADVCD AMPHIBIOUS ASSLT D ERDLEY
WASHINGTON DC 20380-0001

3 LAWRENCE LIVERMORE NATL LAB
ATTN R GOGOLEWSKI L290
R LANDINGHAM L369
J REAUGH L32
PO BOX 808
LIVERMORE CA 94550

2 LOS ALAMOS NATL LAB
ATTN F ADDESSIO
M BURKETT
LOS ALAMOS NM 87545

5 SANDIA NATL LAB
ATTN J ASAY MS 0548
R BRANNON MS 0820
L CHHABILDAS MS 0821
D CRAWFORD ORG 0821
M FORRESTAL DIV 1551
PO BOX 5800
ALBUQUERQUE NM 87185-0307

1 NAVAL RSCH LABORATORY
ATTN CODE 6684
4555 OVERLOOK AVE SW
WASHINGTON DC 20375

1 AIR FORCE ARMAMENT LAB
ATTN AFATL DLJW W COOK
EGLIN AFB FL 32542

NO. OF
COPIES ORGANIZATION

- 4 INST FOR ADVNCD TECH
ATTN S BLESS H FAIR
D LITTLEFIELD
R SUBRAMANIAN
3925 W BRAKER LANE STE 400
AUSTIN TX 78759-5316
- 1 UNIV OF DAYTON RSCH INST
ATTN KLA14 N BRAR
300 COLLEGE PARK
DAYTON OH 45469-0182
- 3 SOUTHWEST RSCH INST
ATTN C ANDERSON J RIEGEL
J WALKER
6220 CULEBRA RD
SAN ANTONIO TX 78238
- 4 US DEPT OF ENERGY
ALBANY RSCH CENTER
ATTN J HANSEN (2 CYS)
P TURNER (2 CYS)
1450 QUEEN AVE SW
ALBANY OR 97321-2198
- 1 BROWN UNIV
DIV OF ENGINEERING
ATTN R CLIFTON
PROVIDENCE RI 02912
- 2 UNIV OF CA SAN DIEGO
DEPT OF APPL MECH & ENGR
SVC R011
ATTN S NEMAT NASSER M MEYERS
LA JOLLA CA 92093-0411
- 1 ARMORWORKS
ATTN W PERCIBALLI
1701 W 10TH ST STE 5
TEMPE AZ 85281
- 2 AERONAUTICAL RSCH ASSN
ATTN R CONTILIANO J WALKER
PO BOX 2229
50 WASHINGTON RD
PRINCETON NJ 08540
- 1 ALLIANT TECHSYSTEMS INC
ATTN G JOHNSON
5050 LINCOLN DR
MINNEAPOLIS MN 55436-1097

NO. OF
COPIES ORGANIZATION

- 1 APPLIED RSCH ASSN INC
ATTN J YATTEAU
5941 S MIDDLEFIELD RD STE 100
LITTLETON CO 80123
- 1 APPLIED RSCH ASSN INC
ATTN D GRADY
4300 SAN MATEO BLVD NE STE A 220
ALBUQUERQUE NM 87110
- 1 BRIGGS COMPANY
ATTN J BACKOFEN
2668 PETERSBOROUGH ST
HERNDON VA 222071-2443
- 2 CENTURY DYNAMICS INC
ATTN B GERBER N BIRNBAUM
2333 SAN RAMON VALLEY BLVD
SAN RAMON CA 94583-1613
- 3 CERCOM
ATTN R PALICKA G NELSON
B CHEN
1960 WATSON WAY
VISTA CA 92083
- 1 CYPRESS INTERNTL
ATTN A CAPONECCHI
1201 E ABINGDON DR
ALEXANDRIA VA 22314
- 1 RJ EICHELBERGER
409 W CATHERINE ST
BEL AIR MD 21014-3613
- 1 EPSTEIN AND ASSN
ATTN K EPSTEIN
2716 WEMBERLY DR
BELMONT CA 94002
- 2 GALT ALLOYS INC
ATTN S FELLOWS
S GIANGIORDANO
122 CENTRAL PLAZA N
CANTON OH 44702
- 3 GDLS
ATTN W BURKE MZ436 21 24
G CAMPBELL MZ436 30 44
D DEBUSSCHER MZ436 20 29
38500 MOUND RD
STERLING HTS MI 48310-3200

NO. OF
COPIES ORGANIZATION

- 3 GDLS
ATTN J ERIDON MZ436 21 24
W HERMAN MZ435 01 24
S PENTESCU MZ436 21 24
38500 MOUND RD
STERLING HTS MI 48310-3200
- 1 GENERAL RSCH CORP
PO BOX 6770
SANTA BARBARA CA 93160-6770
- 1 INTERNATL RSCH ASSN
ATTN D ORPHAL
4450 BLACK AVE
PLEASANTON CA 94566
- 1 JET PROPULSION LAB
IMPACT PHYSICS GROUP
ATTN M ADAMS
4800 OAK GROVE DR
PASADENA CA 91109-8099
- 1 KAMAN SCIENCES CORP
1500 GARDEN OF THE GODS RD
COLORADO SPRINGS CO 80907
- 3 OGARA HESS & EISENHARDT
ATTN G ALLEN D MALONE
T RUSSELL
9113 LE SAINT DR
FAIRFIELD OH 45014
- 2 ALLVAC OREMET FACILITY
ATTN J KOSIN B MAHONEY
530 34TH AVE SW
PO BOX 460
ALBANY OR 97321
- 4 POULTER LABORATORY
SRI INTERNATIONAL
ATTN D CURRAN R KLOOP
L SEAMAN D SHOCKEY
333 RAVENSWOOD AVE
MENLO PARK CA 94025
- 1 RMI TITANIUM CO
ATTN W LOVE
3350 BIRCH STE 210
BREA CA 92821-6267

NO. OF
COPIES ORGANIZATION

- 6 RMI TITANIUM CO
ATTN J BENNETT E CHRIST
F JANOWSKI W PALLANTE
S ROBERTSON O YU
1000 WARREN AVE
NILES OH 44446
- 15 TIMET
ATTN J FANNING
PO BOX 2128
HENDERSON NV 89009
- 1 TIMET
ATTN J BARBER
1999 BROADWAY STE 4300
DENVER CO 80202
- 1 SAIC
ATTN J FURLONG MS 264
1710 GOODRIDGE DR
MCLEAN VA 22102
- 2 SIMULA INC
ATTN R WOLFFE
10016 SOUTH 51ST ST
PHOENIX AZ 85044
- 7 UNITED DEFENSE LP
ATTN J DORSCH
V HORVATICH B KARIYA
M MIDDIONE R MUSANTE
R RAJAGOPAL D SCHADE
PO BOX 367
SANTA CLARA CA 95103
- 3 UNITED DEFENSE LP
ATTN E BRADY R JENKINS
J JOHNSON
PO BOX 15512
YORK PA 17405-1512
- 1 ZERNOW TECH SVCS INC
ATTN L ZERNOW
425 W BONITA AVE STE 208
SAN DIMAS CA 91773
- ABERDEEN PROVING GROUND
- 1 DIRECTOR
US ARMY RSCH LABORATORY
ATTN AMSRD ARL CI OK (TECH LIB)
BLDG 4600

NO. OF
COPIES ORGANIZATION

- 1 DIR USA EBCC
ATTN SCBRD RT
5183 BLACKHAWK RD
APG EA MD 21010-5424
- 1 CDR USA SBCCOM
ATTN AMSCB CII
5183 BLACKHAWK RD
APG EA MD 21010-5424
- 2 DIR USAMSAA
ATTN AMXSY D
AMXSY MP H COHEN
BLDG 392
- 3 CDR USATEC
ATTN STEAC LI LV E SANDERSON
M SIMON (2 CYS)
BLDG 400
- 2 DIR USARL
ATTN AMSRL WM T WRIGHT
AMSRL WM M J BEATTY
BLDG 4600
- 1 DIR USARL
ATTN AMSRL WM MB D SNOHA
BLDG 4600
- 1 DIR USARL
ATTN AMSRL WM MC
R SQUILLACIOTI
BLDG 4600
- 16 DIR USARL
ATTN AMSRL WM MD W ROY
J MONTGOMERY (15 CYS)
BLDG 4600
- 1 DIR USARL
ATTN AMSRL WM T B BURNS
BLDG 4600
- 27 DIR USARL
ATTN AMSRL WM TA W BRUCHEY
M BURKINS (15 CYS)
W GILLICH W GOOCH (2 CYS)
T HAVEL D HACKBARTH
E HORWATH D KLEPONIS
M NORMANDIA J RUNYEON
M ZOLTOSKI N RUPERT
BLDG 393

NO. OF
COPIES ORGANIZATION

- 8 DIR USARL
ATTN AMSRL WM TC K KIMSEY
L MAGNESS D SCHEFFLER
G SILSBY R SUMMERS
W WALTERS T FARRAND
A GUPTA
BLDG 309
- 9 DIR USARL
ATTN AMSRL WM TD Y HUANG
H MEYER D DANDEKAR
M RAFTENBERG E RAPACKI
M SCHEIDLER S SCHOENFELD
S SEGLETES T WEERASOORIYA
BLDG 4600
- 1 DIR USARL
ATTN AMSRL WM TE T NIILER
BLDG 120
- 1 DIR USARL
ATTN AMSRL SL BB A DIETRICH
BLDG 328

NO. OF
COPIES ORGANIZATION

FOREIGN ADDRESSES

- 1 EMBASSY OF AUSTRALIA
COUNSELLOR DEFENCE SCIENCE
1601 MASSACHUSETTS AVE NW
WASHINGTON DC 20036-2273
- 3 AERONAUTICAL & MARITIME RSCH LAB
N MURMAN S CIMPOERU D PAUL
PO BOX 4331
MELBOURNE VIC 3001
AUSTRALIA
- 1 ARMSCOR
L DU PLESSIS
PRIVATE BAG X337
PRETORIA 0001
SOUTH AFRICA
- 1 BATTELLE INGENIEURTECHNICK GMBH
W FUCKE
DUESSELDORFFER STR 9
D 65760 ESCHBORN
GERMANY
- 1 DEFENCE RSCH AGENCY
FORT HALSTEAD SEVEN OAKS
KENT TN14 7BP
UNITED KINGDOM
- 1 CARLOS III UNIV OF MADRID
C NAVARRO
ESCUELA POLTEENICA SUPERIOR
C/. BUTARQUE 15
28911 LEGANES MADRID
SPAIN
- 1 CELIUS MATERIAL TEKNIK
KARLSKOGA AB
L HELLNER
S 691 80 KARLSKOGA
SWEDEN
- 3 CENTRE D'ETUDES GRAMAT
J CAGNOUX C GALLIC
J TRANCHET
GRAMAT 46500
FRANCE
- 1 MINISTRY OF DEFENCE
DGA DSP STTC G BRAULT
4 RUE DE LA PORTE D'ISSY
00460 ARMEES
F 75015 PARIS
FRANCE

NO. OF
COPIES ORGANIZATION

- 1 CONDAT
J KIERMEIR
MAXILLANSTR 28
8069 SCHEYERN FERNHAG
GERMANY
- 2 DEFENCE PROCUREMENT AGCY
G LAUBE W ODERMATT
BALLISTICS WPNS & COMBAT
VEHICLE TEST CTR
CH 3602 THUN
SWITZERLAND
- 2 TDW
M HELD
POSTFACH 1340
D 86523 SCHROBENHAUSEN
GERMANY
- 6 DEFENSE RSCH AGENCY
W CARSON I CROUCH C FREW
T HAWKINS B JAMES B SHRUSBSALL
CHOBHAM LANE
CHERTEY SURREY KT16 OEE
UNITED KINGDOM
- 1 DEFENCE RSCH ESTAB SUFFIELD
C WEICKERT
BOX 4000
MEDICINE HAT ALBERTA TIA 8K6
CANADA
- 1 DEFENCE RSCH ESTAB
VALCARTIER ARMAMENTS DIV
R DELAGRAVE
2459 PIE X1 BLVD N
PO BOX 8800
CORCELETTE QUEBEC GOA 1RO
CANADA
- 2 DEUTSCH FRANZOSISCHES
FORSCHUNGSINSTITUT ST LOUIS
H ERNST H LERR
CEDEX 5 RUE DU
GENERAL CASSAGNOU
F 68301 SAINT LOUIS
FRANCE
- 1 DIEHL GMBH AND CO
M SCHILDKNECHT
FISCHBACHSTRASSE 16
D 90552 ROTBENBACH AD
PEGNITZ
GERMANY

NO. OF
COPIES ORGANIZATION

- 1 DYNAMEC RSCH AB
A PERSSON
PO BOX 201
S 151 23 SODERTALJE
SWEDEN
- 2 ETBS DSTI
P BARNIER M SALLES
ROUTE DE GUERAY
BOITE POSTALE 712
18015 BOURGES CEDEX
FRANCE
- 1 FEDERAL MINISTRY OF DEFENCE
DIR OF EQPT & TECH LAND
RUV 2
D HAUG
POSTFACH 1328
53003 BONN
GERMANY
- 4 FRANHOFER INSTITUT FUR
KURZZEITDYNAMIK
ERNST MACH INSTITUT
V HOHLER E STRASSBURGER
R THAM K THOMA
ECKERSTRASSE 4
D 79 104 FREIBURG
GERMANY
- 1 MINISTRY OF DEFENCE
DGA/SPART
C CANNAVO
10 PLACE GEORGES CLEMENCEAU
BP19
F 92211 SAINT CLOUD CEDEX
FRANCE
- 2 HIGH ENERGY DENSITY RSCH CTR
V FORTOV G KANEL
IZHORSKAY STR 13/19
MOSCOW 127412
RUSSIAN REPUBLIC
- 1 INGENIEURBURO DEISENROTH
F DEISENROTH
AUF DE HARDT 33 35
D 5204 LOHMAR 1
GERMANY
- 1 INST OF CHEMICAL PHYSICS
S RAZORENOV
142432 CHERNOGOLOVKA
MOSCOW REGION
RUSSIAN REPUBLIC

NO. OF
COPIES ORGANIZATION

- 7 INST FOR PROBLEMS IN MATERIALS SCI
S FIRSTOV B GALANOV O GRIGORIEV
V KARTUZOV V KOVTUN Y MILMAN
V TREFILOV
3 KRHYZHANOVSKY STR
252142 KIEV 142
UKRAINE
- 1 INST FOR PROBLEMS
OF STRENGTH
G STEPANOV
TIMIRY AZEVSKAYA STR 2
252014 KIEV
UKRAINE
- 3 INST OF MECH ENGR PROBLEMS
V BULATOV D INDEITSEV
Y MESCHERYAKOV
BOLSHOY 61 VO
ST PETERSBURG 199178
RUSSIAN REPUBLIC
- 2 IOFFE PHYSICO TECH INST
E DROBYSHEVSKI A KOZHUSHKO
ST PETERSBURG 194021
RUSSIAN REPUBLIC
- 1 K&W THUN
W LANZ
ALLMENDSSTRASSE 86
CH 3602 THUN
SWITZERLAND
- 1 R OGORKIEWICZ
18 TEMPLE SHEEN
LONDON SW 14 7RP
UNITED KINGDOM
- 1 MAX PLANCK INSTITUT FUR
EISENFORSCHUNG GMBH
C DERDER
MAX PLANCK STRASSE 1
40237 DUSSELDORF
GERMANY
- 2 NATL DEFENCE HDQRTS
PMO MRCV MAJ PACEY
PMO LAV A HODAK
OTTOWA ONTARIO KIA OK2
CANADA

NO. OF
COPIES ORGANIZATION

- | | |
|---|------------------------------------------------------------------------------------------------------------------------------|
| 1 | OTO BRED
M GUALCO
VIA VALDIOCCHI 15
I 19136 LA SPEZIA
ITALY |
| 5 | RAPHAEL BALLISTICS CTR
M MAYSELESS Y PARTOM
G ROSENBERG Z ROSENBERG
Y YESHURUN
BOX 2250
HAIFA 31021
ISRAEL |
| 1 | ROYAL MILITARY ACADEMY
E CELENS
RENAISSANCE AVE 30
B 1040 BRUSSELS
BELGIUM |
| 1 | ROYAL NETHERLANDS ARMY
J HOENEVELD
V D BURCHLAAN 31
PO BOX 90822
2509 LS THE HAGUE
NETHERLANDS |
| 1 | DEFENCE MATERIEL ADMIN
WEAPONS DIRECTORATE
A BERG
S 11588 STOCKHOLM
SWEDEN |
| 2 | SWEDISH DEFENCE RSCH ESTAB
DIVISION OF MATERIALS
S J SAVAGE J ERIKSON
S 172 90 STOCKHOLM
SWEDEN |
| 3 | SWEDISH DEFENCE RSCH ESTAB
L HOLMBERG B JANZON
P LUNDBERG
BOX 551
S 147 25 TUMBA
SWEDEN |
| 1 | TECHNION INST OF TECH
FACULTY OF MECH ENGINEERING
S BODNER
TECHNION CITY
HAIFA 32000
ISRAEL |

NO. OF
COPIES ORGANIZATION

- | | |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3 | TECHNISCHE UNIVERSITAT
CHEMNITZ ZWICKAU
A SCHROEDTER L KRUEGER
L MEYER
POSTFACH
D 09107 CHEMINITZ
GERMANY |
| 2 | TNO PRINS MAURITS LAB
H PESKES R IJSSELSTEIN
LANGE KLEIWEG 137
PO BOX 45
2280 AA RIJSWIJK
THE NETHERLANDS |
| 6 | CENTRE DE RECHERCHES
ET D'ETUDES D'ARCUEIL
D BOUVART C COTTENNOT
S JONNEAUX H ORSINI
S SERROR F TARDIVAL
16 BIS AVENUE PRIEUR DE
LA COTE D'OR
F 94114 ARCUEIL CEDEX
FRANCE |
| 1 | CDR EUROPEAN RSCH OFFICE
USARDSG (UK)
S SAMPATH
PSC 802 BOX 15
FPO AE 09499-1500 |